

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

DR.-ING. RICHARD ERNST

WÖRTERBUCH

DER INDUSTRIELLEN TECHNIK

unter weitgehender Berücksichtigung neuzeitlicher Techniken und Verfahren

BAND I

DEUTSCH-ENGLISCH

Fünfte, vollkommen überarbeitete und erheblich erweiterte Auflage

DR.-ING. RICHARD ERNST

DICTIONARY

OF ENGINEERING AND TECHNOLOGY

with extensive treatment of the most modern techniques and processes

VOLUME I

GERMAN-ENGLISH

Fifth edition completely revised and enlarged

Flächen

~geschwindigkeit *f* (Astr) / areal velocity || ~gewicht *n* (bezogen auf 1 Ries) (Pap) / basis weight, substance (of a ream) || ~gewicht *n* (in g/m<sup>2</sup>) (Pap) / G.S.M. (grammes per square metre), gsm substance || ~glitter *n* / plane lattice, two-dimensional lattice || ~gleich (Math) / equal in area || ~gleichrichter *m* (Elektr) / surface-contact rectifier || ~gleichrichter *m* (Halb) / junction rectifier || ~heizelement *n* / electric conductive sheet-type heating element || ~heizleiter *m* (Bau) / heating conductor for panel heating || ~heizung, Strahlungsheizung *f* / radiant heating system, radiant panel heating, concealed o. coil o. panel heating || ~helligkeit *f* / surface luminosity || ~inhalt *m* (Math) / area || ~inhalt *m* einer Oberfläche / superficial contents *pl* || ~initialsbestimmung / quadrature, squaring || ~integral *n* (Math) / surface integral || ~kalkulator *m* für gedruckte Schaltungen / area calculator || ~kathode *f* / plate cathode || ~korrelation *f* / area correlation || ~kühler *m* / extended surface cooler || ~kühler *m* der Klimaanlage / cooling battery || ~ladung *f* (Elektr) / surface charge || ~lager *n* (Brücke) / surface bearing, plane bearing || ~längsriß *m* (Walzw) / longitudinal face crack || ~leuchte *f*, Leuchtkondensator *m* (Beleuchtung) / panel light, luminous capacitor || ~leuchte *f* (Film) / bank of lamps, soft source || ~maß *n* (Einheiten) / square measure || ~maß *n*, -abmessung *f* / measure of superficies, superficial measure || ~maß *n*, ausgelegtes Maß (Holz) / surface measure (contr. dist.: board measure) || ~messer *m*, Planimeter *n* / planimeter || ~messung *f* / planimetry || ~muster-Erkennung *f* (DV) / pattern detection, pattern recognition || ~navigation *f* / omnidirectional o. area navigation, R-Nav || ~nutzungsplan *m* (Bau) / zoning plan || ~pressung *f* / surface pressure || ~projektionsgerät *n* / field projector || ~querriß *m* (Walzw) / transverse facial crack || ~rastler *m* (Bau) / grid || ~raum *m* / surface area || ~reduzierung *f* / area reduction || ~regel *f* / area rule || ~satz *m* von Kepler / Kepler's law of areas || ~schaubild *n* (Math) / histogram || ~scherungsschwingung *f* (Quarz) / face shear mode || ~schleifer *m* (Arbeiter) / surface grinder || {tragbarer} ~schleifer (Holz) / disk sanding machine || ~schleifmaschine *f* / {surface grinding machine || ~schluß *m*, abfallloses Stanzen (Stanz) / scrap-free blanking || ~schluß *m* (Sohn) / scrap-free cropping || ~speicherröhre *f* (Elektronik) / plane storage tube || ~spezifische Masse (Luft) / mass-area ratio || ~spülung *f* (Geol) / sheet erosion, sheet wash || ~steuerung *f* (Luft) / wing control || ~stoffhäufigkeit, -stoffzahl *f* / impingement rate, rate of incidence || ~stoffhäufigkeit *f*, -stoffzahl *f* / rate of incidents || ~strahler *m*, Flächenantenne *f* / flat top antenna || ~traganteil *m* / bearing portion of a surface, bearing percentage || ~trägheitsmoment *n* (Mech) / geometrical moment of inertia || ~tragwerk *n* (Bau) / plane load-bearing structure || ~transistor *m* / junction transistor || ~treue Projektion (Landkarte) / equal-area projection || ~veränderlicher Flügel (Luft) / variable surface wing || ~verhältnis *n* / area ratio || ~verheißleistung *f* (m<sup>2</sup>/min) / area extracted in m<sup>2</sup>min<sup>-1</sup> || ~widnungsplan *m* / zoning plan || ~winkel *m*, Raumwinkel *m* / dihedral angle || ~winkel *m*, ebener Winkel / plane angle || ~wirkungsgrad *m* (Antenne) / aperture efficiency || ~wirkungsgrad *m* (Beleuchtung) / efficiency of illumination || ~wirkungsgrad *m*, Zellenpackungsdichte *f* (Solarpanel) / array packing efficiency, cell packing factor || ~zentriert (Krist) / face-o. plane-centered

Fläch-erhabene Arbeit / bas-relief, low relief || ~erzeugnisse *n pl* (Bleche, Bänder usw) (Walzw) / flat rolled steel, flat products *pl* || ~feder *f*, Blattfeder *f* / leaf spring || ~falte *f* / flat file || ~feile *f* mit einfachem

pane hammer || ~flansch *m*, Flanchflanschverbindung *f* (glatte Kupplung) (Wellenleiter) / plain coupling o. coupler || ~flansch *m* (Masch) / plain flange || ~flanschkupplung *f* (Wellenleiter) / butt joint || ~form *f* (Buch) / flat forme || ~formdruck *m* (Buch) / planographic printing, flatbed printing, (Offsetdruck:) offset printing || ~formdruckmaschine *f* / flatbed [printing] machine || ~formrelais *n* (Elektronik) / low profile relay, flatform relay, thinpack relay || ~formrelais *n*, dichtgeschweißt / hermetically sealed flatform relay || ~formrollenmaschine *f* s. Flachdruckrollenmaschine || ~gängig (Gewinde) / flat || ~garn *n* / flat yarn || ~gedrückt / flattened || ~gehäuse *n*, -packung *f*, Flatpack *n* (Elektronik) / flat pack || ~gehend (Schiff) / shallow-draught... o. draft... || ~gekröpft / modified-offset || ~gelenk, Zirkelgelenk *n* / prop o. rule joint || ~gewalzte Pappe / plate-glazed board || ~gewelltes Gelände / open undulating ground o. country || ~gewickelt (Dehnungsmesser) / flat-grid ... (strain gauge) || ~gewinde *n* (mit Rechteckprofil) / flat thread || ~gewirkt (Strumpf) / fully-fashioned || ~gewölbe *n* (Bau) / flat o. straight o. jack arch || ~gewölbt (Bogen) / surbased, diminished || ~gewölbt-er Herd (Bergb) / spring buckle o. band || ~gewölbt-er Boden (Behälter) / hemiellipsoidal bottom || ~gipfligkeit *f* (Statistik) / negative excess, platykurtosis || ~gitter *n* (Opt) / flat grating || ~glas *n* / flat o. window glass (comprises sheet and plate glass) || ~glas *n*, Tafelglas *n* / sheet glass || ~glaswagen *m* / sheet truck || ~gründung *f*, schwimmende Gründung / raft foundation o. footing, spread o. surface foundation || ~gründung *f* auf tragfähigem Untergrund / natural foundation || ~gummil *m* / flat piece of rubber || ~hacke *f* / pick-axe || ~halbbrundstahl *m* / half-oval steel || ~halbbrundstahl *m* (Sammelbegriff) / flat half rounds *pl* || ~hämmern / hammer even || ~haue *f* (Bergb) / single-end mattock || ~heftmaschine *f* (für Kisten) / flat stapler for boxes || ~heftung *f* (Buch) / flat stitching Flachheit, Ebenheit *f* / flatness || ~, Kontrastmangel *m* (Phot) / flatness Flach-heizkörper *m* / flat radiator || ~herdmischer *m* (Hütt) / flat hearth type mixer || ~hobel *m* / shaving plane || ~, Hump..., Flat-Hump (Reifen) / FH, flat hump || ~, Hump-Felge, Flat-Hump-Felge, FHA (Kfz) / flat hump rim flächig / sheet... || ~, eben (Math) / plane, two-dimensional, 2D || ~, dünn / tabular || ~e Spaltbarkeit / slaty cleavage Flach-kabel *n*, -leitung *f* (Elektr) / flat [win] cable || ~käftführung *f* / linear guidance system with needle roller and flat cage assemblies || ~kaliber *n* (Hütt) / box pass o. groove o. hole || ~kaliber *n*, Flachbahnkaliber *n* (Walzw) / bullhead pass || ~kammer *m* (Spinn) / French comb || ~kanne *f* / flat top drum || ~kant gelegt, flachgelegt / laid flatwise, lying flatwise || ~kant-Einsteckschlüssel *m* / flat-ended plug-in key || ~kartei, Sichtungskartei *f* / visual o. visible file || ~kell, Federkeil *m* (Masch) / flat o. parallel o. plain key || ~kernwandel *f* (Lampe) / flat-mandrel filament || ~kernwandelampe *f* (Opt) / flat-mandrel filament lamp || ~kettelmaschine *f*, -kettmaschine *f* (Textil) / straight bar linking machine || ~kettenwerkmaschine *f* (Textil) / flat warp knitting machine, milanese knitting loom || ~kettig (Web) / having a plain o. flat warp || ~kiel *m* (Schiff) / flat bottom o. keel || ~kipper *m* (Buch) / flat stereo caster, tilting type || ~klammerschraube *f* (DIN 25194) / claw bolt, flat T-head bolt, flat head anchor screw || ~klemme *f* (Elektr) / flat terminal || ~klemmenleiste *f* / flat terminal connection strip || ~knüttel *m* (Hütt) / slab billet || ~kolbennadel *f* / flat shank needle || ~kompaß *m* / flat glass compass ||

(Textil) / reclining twill weave || ~kopf *m* mit Schlitz (Schraube) / slotted pan head || ~kopf-Ankerschraube *f* / flat head anchor screw || ~köpfig / flat headed || ~kopfniet *m* / panhead rivet || ~kopfschraube *f*, Senkschraube *f* / countersunk screw o. bolt || ~kopfschraube *f*, Blechschraube *f* / pan-head screw || ~kopfschraube *f* mit Schlitz / slotted pan-head screw || ~kuliermaschine *f* / straight-bar knitting machine || ~kuller-Rippwerkmaschine *f* / flat welt rib knitting machine with spring beard needles || ~kullerwerkmaschine *f*, Cottonmaschine *f* / Cotton's full fashioned knitting machine, fully fashioned hosiery knitting machine || ~kullerwerkmaschine *f* für Strümpfe / full-fashioned hosiery machine for stockings || ~kupfer *n* / flat copper || ~kupferwicklung *f* (Elektr) / strip-wound armature || ~kuppe *f* (Gewindestift) / plain point || ~kuppel *f* / flat spherical vault, low dome || ~ladung *f* (Rakete) / plate charge || ~land *n*, Niederung *f* (Geogr) / flat || ~land *n*, ebener Landstrich (Geol) / plain, flat land || ~landstrecke *f* (Bahn) / level line || ~landung *f* (Luft) / two-point landing || ~längswalzen *n* / flat longitudinal rolling || ~lasche *f* (Bahn) / flat fishplate || ~lautsprecher *m* / flat loudspeaker || ~legevorrichtung *f* (Plast) / lay-flat || ~lehrenkörper *m* / segmental cylindrical plate gauging member || ~leitung *f* / flat cord o. conductor || ~liegen / lay flat || ~liegende Pappe / board in the flat || ~litze *f* / ribbon strand || ~litziges Seil / flattened strand rope || ~lukendeckel *m* (Schiff) / flush-fitting hatch cover || ~machen, -schlagen / hammer flat || ~machen, planieren, eibebenen / flatten, plane, level || ~mahlstuhl *m* (Mühle) / reducing rollers *pl* || ~material *n* / flat material o. stock, flats *pl* (coll) || ~meißel *m* / cold o. flat chisel, flat pick || ~messerschere *f* / flat-blade shears *pl* || ~nadel *f* (Textil) / flat needle || ~näähmaschine *f*, -bettnäähmaschine *f* / flat-bed sewing machine || ~naht *f* (Schw) / flat-face fillet weld, flush weld || ~offsetmaschine *f* / offset proof press || ~palette *f* / flat pallet || ~pinsel *m* / flat brush || ~pit *n* (Halb, Fehler) / shallow pit || ~pitanhäufung *f*, Swirl *n* (Halb, Fehler) / swirl || ~poller *m* / flat bollard || ~prägen *n* (Stanz) / raising, embossing || ~preßplatte *f* (Holz) / laminated flat pressed board, laminated particle board || ~profil *n* / flat, flat rolled steel, flat [steel] bar || ~querwalzen *n* / flat transverse rolling || ~rampe *f* (Bahn) / slight gradient || ~recken *n* mit Breitung (Walzw) / upsetting || ~reflektor *n* / flat reflector || ~relais *n* / low-profile relay, flatform relay, thinpack relay || ~relief *n*, Basrelief *n* / low relief, bas-relief || ~riemen *m* / flat belt || ~ringdynamo *m* / flat ring dynamo || ~riß *m*, Achsenriß *m* (Bergb) / longitudinal section in plane of deposit || ~röhre *f* (TV) / flat tube || ~rohrheizkörper *m* / flat pipe radiator || ~rohrkühler *m* (Kfz) / flat tubular radiator || ~rolle *f* (Gummi) / sticher || ~rücken, Flatback *m* (Buch) / flat-back || ~runde Backe (Zange) / half-round jaw || ~rundniet *m* / mushroom head rivet, truss head rivet || ~rundschraube / saucer-head screw, truss-head screw || ~rundschraube *f* mit Nase / cup square nip head bolt || ~rundschraube *f* mit Vierkantansatz / mushroom head square neck bolt, cup square bolt || rohe ~rundschraube mit Vierkantansatz / coach bolt, mushroom head bolt (square necked) || ~rundzange *f* / snipe nose plier, needle nose || ~rundzange *f* mit Seitenschneider (DIN 5236) / snipe nose plier with side cutter

Flachs, [echter] ~, Linum usitatissimum / flax, linum [usitatissimum] || ~abfall *m* / flax waste, swingle o. scutching tow, tangle fibre || ~aufbereitung, -zubereitung *f* / dressing o. preparing of flax Flachsanger *m* (Pap) / flatbox, flat suction box Flachs-brech- und Abbastmaschine *f* / flax-breaking and stripping machine

Flächis

(Schleifscheibe) / straight disk || ~schleibenzerspanner *m* (Spannplatt) / horizontal flat disk conveyor || ~schleib-er *m* (Dampf) / flat slide [valve], flat-body o. plain slide valve || ~schleiber *m* (Bunker) / rack and pinion gate || ~schleife (Bahn) / flat-headed rail, strap rail || ~schleifmaschine *f* (DIN) / surface grinding machine || ~schleifmaschine *f* für Plan-, Einsteck- u. Profilschliff / surface grinder for face and plunge-cut and contour grinding || ~schliff *m*, -schleifen *n* (DIN), Planschliff *m*, -schleifen / surface grinding || ~Schlitzbrenner *m* / flat burner || ~schloß *n* für Ketten / flat connecting chain link || ~schlüssel *m* (Schloß) / flat key || ~schmieden / beat out || ~Schmieriippel *m* / button head lubricating nipple || ~schrägwalzen *n* / flat skew rolling || ~schweißnaht *f* / flush weld

Flachs-dotter *m n* (Textil) / camelina, gold-[of]-pleasure Flachs-sezone *f*, neritische Zone / neritic zone || ~seil *n* / flat rope || ~seite *f* (des Normalsteins) (Bau) / large face || ~seite *f* eines Sackes / face of a sack || ~seitiges Ziegelpflaster / flat brick pavement || ~senken (z. B. für Schrauben) / sink (e.g. for sinks for screws) || ~senker *m*, -senkwerkzeug *n* (Wz) / spot facer o. facing cutter || ~senker *m* mit Zylinderschaft u. festem Führungszapfen (DIN 373) / parallel shank counterbore with solid pilot || ~senkung *f* (Wzm) / sink

Flachs-entsamung *f* / ginning of flax || ~garn *n* / flax yarn || ~hechel *f* / flax heckle || ~hechel[maschine] *f* / flax hackling machine, flax comb Flach-sicherungseinsatz *m* / blade-type electric fuse link || ~sieb *n* / flat sieve o. screen || ~silber *n* / flat silver Flachs-leinwand, Leinwand *f* / linen, linen cloth Flach-span *m* (Spannplatt) / flake || ~spin *m* (Raumf) / flat spin || ~spitzfelle *f* / flat pointed file || ~spule *f* (Elektronik) / flat o. disk coil, slab o. pancake coil || geflochtene ~spule / honeycomb coil, duolateral coil || ~spulenvariometer *n* / disk coil variometer || ~spüllosett *n* / flush-out type WC || ~spülung *f* (WC) / flat wash down

Flachs-raufen *n* / pulling of flax || ~riffelkanm *m* (Textil) / ripple || ~röste *f* / retting tank o. pit o. pond o. pool, flax rettery || ~rüsten *n* (Flachs) / retting, rotting || ~schwingmaschine *f* / flax beater, scutch

Flach-stab *m* / flat [steel bar] || ~stahl *m*, Flachgewalzte Erzeugnisse *n pl* / flat [bar] steel, flat rolled steel, flats *pl* || ~stahl *m* mehr als 6" breit, weniger als 1/4" dick (Walzw) / sheet || ~stahl *m* mit abgerundeten Kanten / chain section || ~stahl über 6 x 2" *m* (Walzw) / bearing plate || ~stahlgitterwerk *n* (Stahlbau) / flat lacing, lacing of flat bars || ~stahlkreuzung *f* (Stahlbau) / diagonal juncture of flat bars || ~stampfer *m* (Gieß) / flat rammer || ~stanzen, Planieren *n* (Stanz) / planishing || ~stauchen *n* / hammer forging || ~stauchversuch *m* (Pap) / flat crush [resistance] test || ~stauchwiderstand *m* (Pap) / flat crush resistance || ~stecker *m* (Elektr) / flat plug || ~stecker *m* für Kabelsteckschuhe / blade terminal, flat pin terminal || ~steck[er]anschluß *m* / slip-on terminal, push-on connection ||

~steckverbinder *m* (Elektronik) / rack o. panel connector || ~steckverbindung *f* (Elektr) / flat blade connection || ~stelle *f* (Bahn) / flat (US), wheel flat || ~stich *m*, -bahn *f* (Walzw) / flat pass || ~stich *m* (Nähm) / flat stitch, satin stitch || ~strahl *m* / fan jet || ~strahldüse *f* (Landw) / fan nozzle || ~strahl[schütz]-Elektronenkanone *f* / transverse [slit] electron gun || ~strickmaschine *f* / flabed knitting machine, flat bed frame || ~strickware *f* (Textil) / flat knit [goods] || ~stromvergaser *m* / horizontal o. transverse o. traverse draft carburetor ||

~stumpf-Bezugfelle *f* (DIN 5197) / taper square file || ~stumpffelle *f* / flat hand file || ~stumpf-Schärfleile *f* / flat hand sharpening file

Flachs-vorgarn *n* / flax roving o. stubbing || ~vorhechler

Gerhard Wenske

**parat**

# **Wörterbuch Chemie**

Deutsch/Englisch

# **Dictionary of Chemistry**

German/English

ft mbH, D-69451 Weinheim (Federal Republic of Germany), 1994

l, D-69451 Weinheim (Federal Republic of Germany)  
O. Box, CH-4020 Basel (Switzerland)



lerung <i>f</i> funding (e.g. of research)	Fischaugenstein <i>m</i> apophyllite, fish-eye stone	fixative <i>m</i> fixative (cosmetics)	planography (offset, lithography); 2. planography (result)
locate/to, discover/to; meet/to;	(min, $KCa_4[F_2(Si_4O_{10})_2] \cdot 8H_2O$ )	fixative <i>f</i> fixative, fixing solution	flachdrücken <i>flatten/to</i>
'to (petrol)	Fischbein <i>n</i> baleen, whalebone	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flachdrücken <i>n</i> flattening
intrivance (epist)	Fischblasenleim <i>m</i> fish glue, isinglass	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flachdruckfarbe <i>f</i> planographic (printing) ink
er cold finger (condenser)	Fischdünger <i>m</i> fish manure	fixative <i>n</i> fixative, fixing agent (photo, copy)	flache Schicht <i>f</i> platelet (within a diamond)
m fingerprint	Fischer-Tropsch-Synthese <i>f</i> s. Fischer-Tropsch Verfahren	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> 1. [surface] area; 2. plane (geom); surface (math); superficies (math); 3. face (cryst); 4. space
t <i>f</i> dexterity	Fischer-Tropsch-Verfahren <i>n</i> Fischer-Tropsch process (coal liquefaction)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /behandelte coverage (agri; in ml/kg)
foxglove (Digitalis purpurea);	Fischerit <i>m</i> fischerite (obs), wavelite (min)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /berieselte trickled surface
(führungs)rohr	$Al_3[(OH)_3(PO_4)_2] \cdot 5H_2O$	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /ebene plane (math)
kt <i>m</i> digitalis extract (pharm)	Fischers Salz <i>n</i> $<K_3[Co(NO_2)_6]>$ potassium cobaltnitrite (obs), potassium hexanitritocobaltate(III) (IUPAC)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /geneigte ramp
ungs)rohr <i>n</i> thimble (nucl);	Fischgrätenstruktur <i>f</i> herring-bone structure	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /obere top [face]
ur <i>f</i> digitalis tincture (pharm)	Fischkonservierung <i>f</i> fish curing	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /offene open area (sieve)
tormentil (Potentilla Tormentilla or	Fischkörner <i>npl</i> Indian berries (Ananillo paniculata)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /schraffierte shaded area (graph), hatched area (drawing)
f slender cooling channels	Fischleberöl <i>n</i> fish-liver oil	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /senkrechte perpendicular plane
ingerstall, finger cot (safety)	Fischlebertran <i>m</i> s. Fischlerberöl	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /strahlende radiating surface
be <i>f</i> fingernail test (hardness of	Fischleim <i>m</i> fish gelatine, fish glue, ichthyogel, isinglass	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /unechte vicinal face (cryst)
biet <i>n</i> fingerprint region (spec)	Fischleim <i>m</i> /vegetab[i]ler Ceylon isinglass	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /untere bottom [face]
s. Fingerrührwerk	agar-agar, gelatin japonese	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /waagerechte horizontal plane
n finger[-paddle] agitator	Fischmehl <i>n</i> fish meal, fish flour; fishmeal (agri)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> /wirksame effective area
ppe <i>f</i> s. Fingerring	Fischöl <i>n</i> fish oil, fish fat, train oil	fixative <i>n</i> fixative, fixing agent (photo, copy)	Fläche <i>f</i> mit Gegenelektrode point-to-plane [electrode arrangement]
fühlt <i>n</i> instinct	Fischschuppen <i>fpl</i> fish scale (met, ceramic)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächeisen <i>n</i> flat steel
belemnite (paleontology)	Fischschuppenessenz <i>f</i> s. Fischsilber	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächeisenverankerung <i>f</i> retaining plate
ngerprint method (adhesive power)	Fischschwanzbrenner <i>m</i> fishtail burner, bal burner (lab)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenabscheider <i>m</i> envelope filter, screen filter
ce) finish, surface quality (tanning)	Fischschwanzdüse <i>f</i> fan-tail die (plastic)	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenausdehnungszahl <i>f</i> coefficient of superficial thermal expansion
finnemannite (min,	fischschwanzförmiger Defekt <i>m</i> , fishtail defect	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenbedarf <i>m</i> space required
)	defect	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenbehandlung <i>f</i> blanket application, broadcast treatment (agri)
olaxglass (TM: alkali-free lab glass)	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenbelastung <i>f</i> load per surface, surface load (filter)
s; fluorite (dehydrated volcanic glass)	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenbelegung <i>f</i> s. flächenbezogene Masse
f <i>m</i> corporate letterhead	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	flächenbezogene Masse <i>f</i> 1. surface density, weight per unit area, mass per unit area (in kg/m <sup>2</sup> ); 2. gram weight, grammage, substance, basis weight (paper; in g/m <sup>2</sup> )
n-house	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenbrand <i>m</i> conflagration, surface fire
form <i>f</i> internal specification,	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	flächenbündig flush
d	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendefekt <i>m</i> surface defect (cryst)
f company literature	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendiagonale <i>f</i> plane diagonal (geom)
teilung <i>f</i> corporation patent	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendichte <i>f</i> quantity per unit area (phys, tech)
name-plate, signboard, plate	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendichte <i>f</i> des magnetischen Moments strength of shell
logotype], manufacturer's	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendosimeter <i>n</i> foil dosimeter (nucl)
oilless oil coating, [oleo-resinous]	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendruck <i>m</i> pressure per unit area
r {physically drying pigment-free	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendruck <i>m</i> /spezifischer ultimate pressure
olischer alcoholic varnish	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächendüngung <i>f</i> plain dressing (agri)
nischer Japanese lacquer, Chinese	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächeneinheit <i>f</i> surface unit, unit area
erniciflua Stokes)	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächeneinheitslast <i>f</i> loading per unit area
graphischer litho[graphic] varnish	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenelement <i>n</i> surface element
ish-like	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenfilter <i>n</i> surface filter
varnish substitute	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenfixierung <i>f</i> flat setting (text)
varnish color	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächenfraß <i>m</i> general attack (corr)
c varnish	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächengebilde <i>n</i> sheet material
glazed paper	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	Flächengebilde <i>n</i> /textiles textile fabric
to, varnish/to	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	
c	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	
lzeuer salted fish (food)	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	
charter smoked fish (food)	Fischsilberpigment <i>n</i> nacreous pigment (perl essence [pigment])	fixative <i>n</i> fixative, fixing agent (photo, copy)	